



Banheira em Ferro Fundido Esmaltado  
Cast Iron Enameled Bathtubs



---

# BALI

---



Opções:

Fundo anti-deslizante, Furos para torneiras, Pés reguláveis

Options:

Antislip, Tap holes, Adjustable feet

# BALI





Dimensões em mm

Dimension in mm


| REF. | A    | B   | C   | D    | E   | H   | J   | K   | L   | M   | N  | O  | P    | Q   | VOL (L) | KG  |
|------|------|-----|-----|------|-----|-----|-----|-----|-----|-----|----|----|------|-----|---------|-----|
| 1200 | 1215 | 700 | 400 | 1065 | 555 | 325 | 300 | 360 | 415 | 250 | 85 | 65 | 710  | 340 | 100     | 61  |
| 1400 | 1400 | 700 | 400 | 1230 | 570 | 330 | 295 | 390 | 530 | 320 | 95 | 75 | 900  | 350 | 130     | 76  |
| 1500 | 1500 | 700 | 420 | 1320 | 570 | 345 | 295 | 410 | 590 | 225 | 95 | 85 | 930  | 310 | 145     | 81  |
| 1600 | 1605 | 705 | 425 | 1425 | 575 | 350 | 290 | 430 | 640 | 270 | 90 | 90 | 1100 | 330 | 160     | 89  |
| 1700 | 1705 | 705 | 420 | 1535 | 570 | 340 | 290 | 435 | 660 | 230 | 80 | 90 | 1150 | 340 | 175     | 102 |

All the referred dimensions are susceptible to variations within the normal limits stated by the applicable standards.

Todas as dimensões referidas estão sujeitas a variações dentro dos limites normais estabelecidos pelas normas aplicáveis.



Pormenor da ába  
Rim detail



Overflow hole also available with 63mm

